

## **Product datasheet for TA319668**

## **IRAK (IRAK1) Mouse Monoclonal Antibody**

**Product data:** 

**Product Type:** Primary Antibodies

Applications: IHC, WB

**Recommend Dilution:** WB: 1 - 2 ug/mL, ICC: 5 ug/mL

Reactivity: Human, Mouse

Host: Mouse Isotype: IgG1

Clonality: Monoclonal

Immunogen: Recombinant protein corresponding to amino acids 618 - 712 of human IRAK.

Formulation: IRAK Monoclonal Antibody is supplied in PBS containing 0.02% sodium azide.

Concentration: 1ug/ul

**Purification:** IRAK Monoclonal Antibody is immunoaffinity chromotography purified IgG.

**Gene Name:** interleukin 1 receptor associated kinase 1

Database Link: NP 001020413 Entrez Gene 16179 MouseEntrez Gene 3654 Human

Background: IRAK Monoclonal Antibody: Nuclear factor kappa B (NF-kappaB) is a ubiquitous transcription

factor and an essential mediator of gene expression during activation of immune and inflammatory responses. NF-kB mediates the expression of a great variety of genes in

response to extracellular stimuli including IL-1, TNFalpha and LPS. A serine/threonine protein kinase associated with IL-1 receptor (IRAK) and its homologue mouse pelle-like protein kinase (mPLK) were identified recently. IRAK is associated with the IL-1 receptor subunits IL-1RI and IL-1RAcP after IL-1 binding and serves as a signaling molecule to mediate IL-1 response. IRAK mediates a signaling cascade leading to NF-κB activation by members in IL-1 family including

IL-1 and a novel cytokine IL-18 (also termed IGIF).

Synonyms: IRAK; pelle

**Protein Families:** Druggable Genome, Protein Kinase, Transcription Factors

**Protein Pathways:** Apoptosis, Neurotrophin signaling pathway, Toll-like receptor signaling pathway




OriGene Technologies, Inc.

Rockville, MD 20850, US Phone: +1-888-267-4436 techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


9620 Medical Center Drive, Ste 200



## **Product images:**



Western blot analysis of IRAK in mouse liver lysate with IRAK antibody at (A) 1 and (B) 2 ug/mL.



Immunohistochemistry of IRAK in rat liver tissue with IRAK antibody at 5 ug/mL.